


Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant -150mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 67.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant -50mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 67.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 50mm




Units in Tonnes

- 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 67.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 150mm




Units in Tonnes

- 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 67.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -150mm




Units in Tonnes

- 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 90.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -50mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 90.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 50mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 90.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 150mm




Units in Tonnes

- 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 90.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift BP
Unlocked Road




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 71.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift BP
Locked Road




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 71.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant -150mm - Tandem Lift




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 45.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant -50mm - Tandem Lift




Units in Tonnes

- 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 45.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 50mm - Tandem Lift




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 45.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 150mm - Tandem Lift




Units in Tonnes

- 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 45.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -150mm - Tandem Lift




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 60.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -50mm - Tandem Lift




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 60.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 50mm - Tandem Lift




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 60.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 150mm - Tandem Lift




Units in Tonnes

- 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 60.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift BP
Unlocked Road - Tandem Lift




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 47.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift BP
Locked Road - Tandem Lift




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 47.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant -150mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 67.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant -50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 67.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 67.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 67.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

| | | | |
|--|-----------------------|--|---------------------|
| MACHINE & MODEL: SERIAL No: EQUIPMENT: COMMENT: | Case 988 232259 | REFERENCE: | YTZ |
| | 1.80m + 3.13m + 2.10m | DATE OF CHART: SAFETY FACTOR: | 3-Sep-2018 90.0% |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -50mm




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 90.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 90.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 90.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift ALP1
Unlocked Road




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 71.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift ALP1
Locked Road




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 71.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant -150mm - Tandem Lift




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 45.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant -50mm - Tandem Lift




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 45.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 50mm - Tandem Lift




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 45.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 150mm - Tandem Lift




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 45.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -150mm - Tandem Lift




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 60.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -50mm - Tandem Lift




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 60.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 50mm - Tandem Lift




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 60.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 150mm - Tandem Lift




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------------|-----------------------|-------------------------------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| | SERIAL No: 232259 | | DATE OF CHART: 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 60.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift ALP1
Unlocked Road - Tandem Lift




Units in Tonnes

- 1
- 2
- 3
- 4
- 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 47.0% |
| COMMENT: | | | |

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift ALP1
Locked Road - Tandem Lift



Units in Tonnes

— 1 — 2 — 3 — 4 — 5

| | | | |
|-----------------------------|-----------------------|-----------------------|------------|
| MACHINE & MODEL: | Case 988 | REFERENCE: | YTZ |
| SERIAL No: | 232259 | DATE OF CHART: | 3-Sep-2018 |
| EQUIPMENT: | 1.80m + 3.13m + 2.10m | SAFETY FACTOR: | 47.0% |
| COMMENT: | | | |