


Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant -150mm



Units in Tonnes


— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	20-Apr-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant -50mm




MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant 50mm



Units in Tonnes


1 2 3 4 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant 150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -150mm



Units in Tonnes


— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP

Locked Rail Cant -50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 5


MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 50mm




MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 150mm



MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift BP
Unlocked Road




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	71.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift BP
Locked Road



Units in Tonnes

— 1 — 2 — 3 — 4 — 5


MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	71.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper

Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant -150mm - Tandem Lift



Units in Tonnes

— 1 — 2 — 3 — 4 — 5


MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper

Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant -50mm - Tandem Lift



Units in Tonnes

— 1 — 2 — 3 — 4 — 5


MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper

Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant 50mm - Tandem Lift



Units in Tonnes

— 1 — 2 — 3 — 4 — 5


MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper

Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant 150mm - Tandem Lift



Units in Tonnes

— 1 — 2 — 3 — 4 — 5


MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper

Gradient 1 in -25 Height 2m Lift BP

Locked Rail Cant -150mm - Tandem Lift



Units in Tonnes

— 1 — 2 — 3 — 4 — 5


MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper

Gradient 1 in -25 Height 2m Lift BP

Locked Rail Cant -50mm - Tandem Lift




MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper

Gradient 1 in -25 Height 2m Lift BP

Locked Rail Cant 50mm - Tandem Lift



Units in Tonnes

— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	60.0%
COMMENT:			


**Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 150mm - Tandem Lift**



60.0%

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift BP
Unlocked Road - Tandem Lift




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	47.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift BP
Locked Road - Tandem Lift



Units in Tonnes


— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	47.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Unlocked Rail Cant -150mm



Units in Tonnes


— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Unlocked Rail Cant -50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	67.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -50mm



Units in Tonnes


— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Locked Rail Cant 50mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 150mm




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	90.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift ALP1
Unlocked Road




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	71.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift ALP1
Locked Road




MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	71.0%
COMMENT:			

Case 988

**Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1**

Unlocked Rail Cant -150mm - Tandem Lift



Units in Tonnes

— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	45.0%
COMMENT:			

**Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant -50mm - Tandem Lift**



1 2 3 4 5


MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	45.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper

Gradient 1 in -25 Height 2m Lift ALP1

Unlocked Rail Cant 50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	45.0%
COMMENT:			

**Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 150mm - Tandem Lift**




2368
26-Jul-2018
45.0%

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper

Gradient 1 in -25 Height 2m Lift ALP1

Locked Rail Cant -150mm - Tandem Lift



Units in Tonnes

— 1 — 2 — 3 — 4 — 5


MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper

Gradient 1 in -25 Height 2m Lift ALP1

Locked Rail Cant -50mm - Tandem Lift




Units in Tonnes

— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 50mm - Tandem Lift



Units in Tonnes

— 1 — 2 — 3 — 4 — 5


MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper

Gradient 1 in -25 Height 2m Lift ALP1

Locked Rail Cant 150mm - Tandem Lift




Units in Tonnes

1 2 3 4 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	60.0%
COMMENT:			

Case 988
Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift ALP1
Unlocked Road - Tandem Lift



Units in Tonnes


— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	47.0%
COMMENT:			

Case 988

Max Capacity Contours of Radius(m) Plots 2.1m Dipper
Level Ground Height 2m Lift ALP1

Locked Road - Tandem Lift



Units in Tonnes

— 1 — 2 — 3 — 4 — 5

MACHINE & MODEL:	Case 988	REFERENCE:	2368
SERIAL No:	232368	DATE OF CHART:	26-Jul-2018
EQUIPMENT:	1.80m + 3.13m + 2.10m	SAFETY FACTOR:	47.0%
COMMENT:			