




KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant -150mm**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant -50mm**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 50mm**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 150mm**



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP**

Locked Rail Cant -150mm



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:
SERIAL No:
EQUIPMENT:
COMMENT:

Terex GigaRailer
180S301286
1.92m + 3.30m + 2.00m


REFERENCE:
DATE OF CHART:
SAFETY FACTOR:

26-Apr-2023
90.0%



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -50mm**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 50mm**



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP**

Locked Rail Cant 150mm



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift BP**

Unlocked Road



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	71.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift BP
Locked Road**



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	71.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP**

Unlocked Rail Cant -150mm - Tandem Lift



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP**

Unlocked Rail Cant -50mm - Tandem Lift



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP
Unlocked Rail Cant 50mm - Tandem Lift**



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP**

Unlocked Rail Cant 150mm - Tandem Lift



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP**

Locked Rail Cant -150mm - Tandem Lift



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant -50mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 50mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP
Locked Rail Cant 150mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift BP
Unlocked Road - Tandem Lift**




MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	47.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift BP
Locked Road - Tandem Lift**



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	47.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1**

Unlocked Rail Cant -150mm



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant -50mm**



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1**

Unlocked Rail Cant 50mm



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 150mm**



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1**

Locked Rail Cant -150mm



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1**

Locked Rail Cant -50mm



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 50mm**



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1**

Locked Rail Cant 150mm



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift ALP1**

Unlocked Road



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	71.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift ALP1**

Locked Road



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	71.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1**

Unlocked Rail Cant -150mm - Tandem Lift



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant -50mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 50mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Unlocked Rail Cant 150mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -150mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant -50mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 50mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1
Locked Rail Cant 150mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift ALP1
Unlocked Road - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	47.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift ALP1
Locked Road - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	47.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant -150mm**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant -50mm**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant 50mm**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant 150mm**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant -150mm**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant -50mm**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant 50mm**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant 150mm**



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift QH**

Unlocked Road



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	71.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift QH
Locked Road**



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	71.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH**

Unlocked Rail Cant -150mm - Tandem Lift



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant -50mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH
Unlocked Rail Cant 50mm - Tandem Lift**



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH**

Unlocked Rail Cant 150mm - Tandem Lift



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant -150mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant -50mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant 50mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH
Locked Rail Cant 150mm - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift QH
Unlocked Road - Tandem Lift**



Units in Tonnes


- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	47.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

**Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift QH
Locked Road - Tandem Lift**



Units in Tonnes

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	
SERIAL No:	180S301286	DATE OF CHART:	26-Apr-2023
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	47.0%
COMMENT:			