## **RRV 12 MONTHLY INSPECTION FORM**

Examine / Check / Test each item listed below (use machine specific service manual & maintenance plan for information regarding inspection procedures and criteria). Indicate in the appropriate space below as each item has been performed. If the item is not found acceptable, describe each discrepancy in the comment space on the rear. Take immediate action to correct all discrepancies or remove machine from service.

Confirm Maintenance Plan Used

Giga SPMM 0007 Iss 2	V	Case SPMM 0001 Iss 4 / 5	924 AJH 146 Shovlin Iss3	Valtra RMQ60080V01 Iss 2
Giga ZM50005083 Iss 2		Case SPMM 0001 Iss 6 / 7	924 HMM0015 Iss E	
		TD12 SPMM0005 Iss 3 / 4	Evo MEWP SPMM 011 Iss2	

Current Hours 7557 Plant Numb	229Z					
Machine Make & Type TEREX GIGTS RATIFE Serial Number	2212					
am .						
1 All pre start checks	Result X - ✓ - N/A					
Grease and lubricate as per maintenance plan						
3 All fluid levels correct, hydraulic, batteries, brake etc. Check for leaks.	/					
4 Hydraulic cylinders, pivot pins, pivot points and hoses - Examine						
5 Steering locks - Check	1/					
6 Trailer park brake pressure - Check/record pressure						
7 Service brake filter element - Renew						
8 Brake system general - Check	/					
9 Service brake - Test ( 3 dynamic tests or pull tests or torque hub test)	/					
10 Service brake pressure - Check/record pressure						
11 Rail wheel brake system - Examine						
12 Parking brake - Test	-					
13 Wheel nuts - Check						
14 Rail wheels - Check / Examine Complete SP WIRS 01						
15 Rail wheels back to back - Check measurements ( 1358 - 1363 )						
16 Rail wheel bearings - Check (spin / lift test)						
17 Rail wheel bearings - Examine if fault found during spin / lift test						
18 Traction hubs - Check						
19 Road wheels and tyres - Examine	1					
20 Tyres to rail wheel interface-Examine						
21 Rail bogie / axle pivots and trunnion - Examine	1,					
22 Rail bogies / axles - Examine						
23 Rail axle interlocks - Test ( adjust if required )	Nina					
24 Dozer front bogie / trolley - Check	NIA					
25 Dozer front bogie / trolley brake pads - Check	NA					
6 Dozer front bogie / trolley brake - Check						
7 Emergency recovery system operation - Test						
28 Operation of all lights - Check / Examine						
29 Operation of horn - Check / Test Complete Horn and RCI Sounder	er Test Results Sheet SP-HT 01					
30 Glass and wipers - Check						
31 Safety labels - Check	Marie					
32 Recovery tow bar and hitches condition and security - Check						
33 Underframe and super structure - components and welds - Check	1/					
34 Slew locks - Check						
35 Rated capacity indicator - Test and complete data download ( record results	on LAFT form and attach )					
36 Visibility of paintwork and overall appearance, including yellow panels - Chemical Company of the company of	ck					
37 Trailer brake away siren - Test						
38 Electrical components / connections / wiring - Check						
39 Ballast weight - Check						
Earth bond cables - Test and Examine using Resistance Ohmmeter 622424						
Check valves - Check						
2 Fire extinguisher - Examine						

Item	Inspection / Check Detail Result X - ✓ - I									
	43 LOLER cert / lifting accessories and safety devices - Check									
	4 Auxiliary lifting point/s (if fitted) and decals - Examine									
	5 Quick hitch - Examine if fitted									
0.000	Machine cab file - Check									
	Tracks / running gear - Check	Nh								
	48 ALO device / Duel height limiter - Test and Examine									
49	49 Rail head scrapers - Examine									
	The second state of the second									
	Camera system - Check	1.140								
1000	Basket and harness points - Examine	NIA								
	Torque hub brake adaptors - Examine	NA								
54	Air Brake Pressure Check - Record Pressure	1.00								
Record details of Static Brake Test torque test readings for Service Brake (SB) and Park Brake (PB) per whe alternatively, if conducting on track testing, of three stopping distances on chart below. If any recording differs the from the previous test then investigate / retest. If any recordings are in the fail section investigate and then readverse track conditions can affect recording but must be detailed / recorded accordingly. Chart data derived from the previous test then investigate and then readverse track conditions can affect recording but must be detailed / recorded accordingly. Chart data derived from the previous test then investigate and then readverse track conditions can affect recording but must be detailed / recorded accordingly. Chart data derived from the previous test then investigate and then readverse track conditions can affect recording but must be detailed / recorded accordingly. Chart data derived from the previous test then investigate and then readverse track conditions can affect recording but must be detailed / recorded accordingly. Chart data derived from the previous test then investigate and then readverse track conditions can affect recording but must be detailed / recorded accordingly. Chart data derived from the previous test then investigate and then readverse track conditions can affect recording but must be detailed / recorded accordingly. Chart data derived from the previous test then investigate and then readverse track conditions can affect recording but must be detailed / recorded accordingly. Chart data derived from the previous test then investigate and then readverse track conditions can affect recording but must be detailed / recorded accordingly. Chart data derived from the previous test then investigate and then readverse track conditions can affect recording but must be detailed / recorded accordingly. Chart data derived from the previous test the previous										
	MEGERA METER BREDILIBUOURS 17  MEGERA METERS 622424  E	5.24								
D	EARTH BOND TEST RESULTS  Dipper End to Left Rail 28173up  Dipper End to Right Rail 0.1471up  I cerity the above plecks / examinations have been conducted and any corrective actions required have been completed and recorded.  Signed									
Pri	Print D. Scucleus Date completed 20/12/23									

#### SHOVLIN PLANT **RAIL WHEEL BRAKING TORQUE TEST** Date: 20-12-23. Machine: TEREX CICIA RAYCOL Serial No: 1805301368 Location: YARO Plant No: 2292 Hours: 1557 Inspection Point Inspection Limits Pass Fail Brake Pad Wear Minimum 3mm Brake Pad Damage None allowed Contamination None allowed Brake Pad Adjustment 1mm Floating Pins Clean and lubricate with graphite grease Hydraulic Hoses / Fittings Check for damage / leaks **Brake Disc Protection** Check for damage / security **Brake Discs** Check for damage / security Fixing / Fasteners Check for damage / security Torque limits See back of sheet for required limits For AJH brake systems, refer to AJH097 for torque test requirements Where OEM torque test figures are not available, the following should be used: Park Brake (Nm) = Machine Weight (Kg) Minimum Park brake required: Minimum Service brake required: Service Brake (Nm) = Machine Weight (Kg) 10 Equipment to be used: TORQUE WRONCH ID No: 791078968916 Cal Exp Date: 30.11.24 Equipment to be used: TOLDUE MULIPLIER ID No: Cal Exp Date: 130086 Park Brake: 133010101 Park Brake: FRONT 1330nan 1724 WI Service Brake Service Brake: Pass / Fail Pass / Fail Park Brake: Park Brake: 1330 NW Service Brake: Service Brake W3 WP REAR Pass / Fail Pass / Fail As the engineer responsible for executing this testing, I confirm that I have used calibrated equipment and had the relevant training. Prevailing weather conditions did not affect the outcome of this test. Engineer: Signed runkier As an Approver of Shovlin Plant I confrim that this inspection/test was executed by a suitably qualified service engineer. Approver: Signed: /1/ Shovlin Jacob SP-RWBT-01 Issue 1 Date: 06/2022

# **SHOVLIN PLANT**

### HIRE LIMITED

## **RAIL WHEEL BRAKING TORQUE TEST**

## **Torque Limits**

	Park Brake (Nm)	Service Brake (Nm)
Case 988	1350Nm	1684Nm
Giga Railer	1330Nm	2362Nm
Liebherr	1250Nm	2500Nm

	Park Brake (kgF)	Service Brake (kgF)	
TD12-1512	1480 kgF	2970 kgF	
Other TD12s	1000 kgF	1600kgF	

SP-RWBT-01 Issue 1 Date: 06/2022