

MAINTENANCE BRAKE TEST CERTIFICATE

For Trailers and Attachments with RRVs and RMM/MS.
Rexquote T4

Philip Shovlin Plant Hire Ltd
Brook Business Complex
Bennett Street, West Gorton
Manchester, M12 5AU

Tel: 0161 273 8900 Fax 0161 273 8988

Callibrated Torque Multiplier - Enerpac E393(130086)
Callibrated Torque Wrench - Norbar 79107896B96

| Trailer/ Attachment Make / Number | Tare Weight | Gross Weight | Brake System Type: (e.g. Hyd.) | Number Of Wheels Braked | Park Brake Test Required | Park Brake Test Achieved | Service Brake Test Required | Service Brake Test Achieved | Date Tested | I Confirm the trailer/attachment listed has been tested | |
|--|----------------|-----------------|--|-------------------------------|-----------------------------------|--------------------------------|-----------------------------------|-----------------------------------|----------------|--|-------------------------|
| | | | | | | | | | | Signature | Print Name and Title |
| Rexquote T4 1485 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scurless Partner |
| Rexquote T4 1517 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scurless Partner |
| Rexquote T4 1592 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scurless Partner |
| Rexquote T4 1818 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scurless Partner |
| Rexquote T4 1680 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scurless Partner |
| Rexquote T4 1840 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scurless Partner |
| Rexquote T4 1845 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scurless Partner |
| Rexquote T4 1858 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scurless Partner |
| Rexquote T4 1868 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scurless Partner |
| Rexquote T4 1549 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scurless Partner |

MAINTENANCE BRAKE TEST CERTIFICATE

For Trailers and Attachments with RRVs and RMMMs.
Rexquote T4

Phillip Shovlin Plant Hire Ltd
Brook Business Complex
Bennett Street, West Gorton
Manchester, M12 5AU

Tel: 0161 273 8900 Fax 0161 273 8988

Calibrated Torque Multiplier – Enerpac E393(130086)
Calibrated Torque Wrench – Norbar 79107896B96

| Trailer/ Attachment Make / Number | Tare Weight | Gross Weight | Brake System Type: (e.g. Hyd.) | Number Of Wheels Braked | Park Brake Test Required | Park Brake Test Achieved | Service Brake Test Required | Service Brake Test Achieved | Date Tested | I Confirm the trailer/attachment listed has been tested | |
|--|----------------|-----------------|--|-------------------------------|-----------------------------------|--------------------------------|-----------------------------------|-----------------------------------|----------------|--|-------------------------|
| | | | | | | | | | | Signature | Print Name and Title |
| Rexquote T4 1518 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore ATTN |
| Rexquote T4 1585 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/6/24 | | D. Scudamore ATTN |
| Rexquote T4 1678 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore ATTN |
| Rexquote T4 1473 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore ATTN |
| Rexquote T4 1530 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore ATTN |
| Rexquote T4 1841 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore ATTN |
| Rexquote T4 18509 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore ATTN |
| Rexquote T4 1740 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore ATTN |
| Rexquote T4 1681 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore ATTN |
| Rexquote T4 1587 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore ATTN |

MAINTENANCE BRAKE TEST CERTIFICATE

For Trailers and Attachments with RRVs and RMMMs.
Rexquote T4

Philip Shovlin Plant Hire Ltd
Brook Business Complex
Bennett Street, West Gorton
Manchester, M12 5AU

Tel: 0161 273 8900 Fax 0161 273 8988

Calibrated Torque Multiplier - Enerpac E393(130086)
Calibrated Torque Wrench - Norbar 79107896B96

| Trailer/ Attachment Make / Number | Tare Weight | Gross Weight | Brake System Type: (e.g. Hyd.) | Number Of Wheels Braked | Park Brake Test Required | Park Brake Test Achieved | Service Brake Test Required | Service Brake Test Achieved | Date Tested | I Confirm the trailer/attachment listed has been tested | |
|--|----------------|-----------------|--|-------------------------------|-----------------------------------|--------------------------------|-----------------------------------|-----------------------------------|----------------|--|-------------------------|
| | | | | | | | | | | Signature | Print Name and Title |
| Rexquote T4 1679 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |
| Rexquote T4 1843 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/6/24 | | D. Scudamore Partner |
| Rexquote T4 1848 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |
| Rexquote T4 1867 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |
| Rexquote T4 1828 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |
| Rexquote T4 1586 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |
| Rexquote T4 1846 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |
| Rexquote T4 1866 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |
| Rexquote T4 1584 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |
| Rexquote T4 1547 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |

MAINTENANCE BRAKE TEST CERTIFICATE

For Trailers and Attachments with RRVs and RMM/MS.
Rexquote T4

Phillip Shovlin Plant Hire Ltd
Brook Business Complex
Bennett Street, West Gorton
Manchester, M12 5AU

Tel: 0161 273 8900 Fax 0161 273 8988

Calibrated Torque Multiplier - Enerpac E393(130086)
Calibrated Torque Wrench - Norbar 79107896B96

| Trailer/ Attachment Make / Number | Tare Weight | Gross Weight | Brake System Type: (e.g. Hyd.) | Number Of Wheels Braked | Park Brake Test Required | Park Brake Test Achieved | Service Brake Test Required | Service Brake Test Achieved | Date Tested | I Confirm the trailer/attachment listed has been tested | |
|--|----------------|-----------------|--|-------------------------------|-----------------------------------|--------------------------------|-----------------------------------|-----------------------------------|----------------|--|-------------------------|
| | | | | | | | | | | Signature | Print Name and Title |
| Rexquote T4 1527 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |
| Rexquote T4 1548 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/6/24 | | D. Scudamore Partner |
| Rexquote T4 1847 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |
| Rexquote T4 1844 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |
| Rexquote T4 1529 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |
| Rexquote T4 1817 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |
| Rexquote T4 1860 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |
| Rexquote T4 1788 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |
| Rexquote T4 | 3000 Kgs | 24 Tonnes | Spring & Hydraulic | Two | 1655 Nm | PASS | 2646 Nm | PASS | 26/4/24 | | D. Scudamore Partner |