RRV 12 MONTHLY INSPECTION FORM

Examine / Check / Test each item listed below (use machine specific service manual & maintenance plan for information regarding inspection procedures and criteria). Indicate in the appropriate space below as each item has been performed. If the item is not found acceptable, describe each discrepancy in the comment space on the rear. Take immediate action to correct all discrepancies or remove machine from service.

Confirm Maintenance Plan Used

Giga SPMM 0007 Iss 2	Case SPMM 0001 Iss 4 / 5	924 AJH 146 Shovlin Iss3	Valtra RMQ60080V01 Iss 2	Π
Giga ZM50005083 Iss 2	Case SPMM 0001 Iss 6 / 7	924 HMM0015 Iss E		厂
	TD12 SPMM0005 Iss 3 / 4	Evo MEWP SPMM 011 Iss2		\Box

TD12 3FIMIMO003 ISS 374 E	VO MEVVP SPININI UT	1 1332				
Current Hours 727 D	Plant Number	C660232370				
Machine Make & Type CASE 988	Serial Number	2370				
Inspection / Check Detail		Result X - ✓ - N/A				
1 All pre start checks						
2 Grease and lubricate as per maintenance plan		1/				
3 All fluid levels correct, hydraulic, batteries, brake etc. Check	for leaks.	ν				
6 Trailer park brake pressure - Check/record pressure						
7 Service brake filter element - Renew						
8 Brake system general - Check						
9 Service brake - Test (3 dynamic tests or pull tests or torque	hub test)	l V				
10 Service brake pressure - Check/record pressure		N				
11 Rail wheel brake system - Examine		is the first field of the $ u$				
12 Parking brake - Test		V				
13 Wheel nuts - Check						
14 Rail wheels - Check / Examine Complete SP WIRS 01		2				
15 Rail wheels back to back - Check measurements (1358 - 13	363)					
16 Rail wheel bearings - Check (spin / lift test)						
17 Rail wheel bearings - Examine if fault found during spin / lift	test	V				
18 Traction hubs - Check		NIA				
19 Road wheels and tyres - Examine		<u> </u>				
20 Tyres to rail wheel interface-Examine		ν				
21 Rail bogie / axle pivots and trunnion - Examine	21 Rail bogie / axle pivots and trunnion - Examine					
22 Rail bogies / axles - Examine		í				
23 Rail axle interlocks - Test (adjust if required)	Bilas da as es da delas al ast					
24 Dozer front bogie / trolley - Check		4101				
25 Dozer front bogie / trolley brake pads - Check						
26 Dozer front bogie / trolley brake - Check						
27 Emergency recovery system operation - Test		<u>V</u>				
28 Operation of all lights - Check / Examine						
	and RCI Sounder Te	st Results Sheet SP-HT 01 /				
30 Glass and wipers - Check	ryne i anysta <i>tokoù agrani</i> graje hones tresen kivani di nûsiski i	(ASSTRESS OF CONTROL O				
31 Safety labels - Check		V				
32 Recovery tow bar and hitches condition and security - Check		COMMA FINAL CONTRACTOR WAS INCOME.				
33 Underframe and super structure - components and welds - 0	Check					
34 Slew locks - Check		<i>y</i>				
35 Rated capacity indicator - Test and complete data download		AF I form and attach)				
36 Visibility of paintwork and overall appearance, including yello	w panels - Check	<u>/</u>				
37 Trailer brake away siren - Test	97.000 (24F33) (24) (27 (24) (46)					
38 Electrical components / connections / wiring - Check						
39 Ballast weight - Check		<u> </u>				
40 Earth bond cables - Test and Examine using Resistance Oh	mmeter 622424	A CONTROL OF THE PROPERTY OF T				
41 Check valves - Check						
42 Fire extinguisher - Examine						

Item	Inspection / Check Detail Result X - ✓ -								
43	LOLER cert / lifting accessories and safety devices - Check	V	1						
44	Auxiliary lifting point/s (if fitted) and decals - Examine	\vee							
45	5 Quick hitch - Examine if fitted								
46	46 Machine cab file - Check								
47	Tracks / running gear - Check	V	1,						
48	48 ALO device / Duel height limiter - Test and Examine								
49	Rail head scrapers - Examine	V	/						
	50 Overload sounders - Check Complete Horn and RCI Sounder Test Results Sheet SP-HT 01								
200000000000000000000000000000000000000	51 Camera system - Check								
-	52 Basket and harness points - Examine								
	Torque hub brake adaptors - Examine	V	7						
	Air Brake Pressure Check - Record Pressure	N							
J-1									
Record details of Static Brake Test torque test readings for Service Brake (SB) and Park Brake (PB) per wheel or alternatively, if conducting on track testing, of three stopping distances on chart below. If any recording differs by 10% from the previous test then investigate / retest. If any recordings are in the fail section investigate and then retest. Adverse									
tra	ck conditions can affect recording but must be detailed / recorded accordingly. Chart data derived from RIS 15	30 PL	$\vdash\vdash$						
	8	+	Н						
	FAIL	+	Н						
2		\top	П						
Meters		\neg	П						
S S	4 Speed Not Sufficient Speed Not Speed Not Sufficient Speed Not Sufficient Speed Not		П						
	Minimum test speed PASS								
	must be over 6 KPH								
	0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 KPH	17							
CAL			- 1						
_	IBRATED TOOLS USED		\dashv						
Тур									
	1124NE CAUNCE 3114230 24-1								
1		1-26	٥						
	MEGA METEL 622424 13:	5.25	<u>S</u>						
Cor	nments / Additional Work - Checks		\neg						
EAPTH BOND TEST PESULTS AUX LIFT POINT IN GOOD CONDITIONS									
Dipper End to Left Rail 10191ma BRANES TESTED AS POR SERVICE PLAN									
Dinner End to Right Rail 1 0 1/20									
ROAD BRANE TEST RASSED.									
I cerity the above checks / examinations have been conducted and any corrective actions required have been completed and recorded.									
Signed 2									
Print D. Scharins Date completed 12:05.25.									

SHOVLIN PLANT				
HIRE LIWITED				
RAIL WHEEL BRAKING TORQUE TEST				
Date: 12.05.25 Machine: CASE, 9.88				
0.700 .30				
000000	Location: YAZO			
Plant No: 23つ0 Inspection Point	Hours: 7270			
Brake Pad Wear	Inspection Limits Pass Fail			
to a company to the company of the control of the c	Minimum 3mm			
Brake Pad Damage Contamination	None allowed			
	None allowed			
Brake Pad Adjustment				
Floating Pins	Clean and lubricate with graphite grease			
Hydraulic Hoses / Fittings	Check for damage / leaks			
Brake Disc Protection	Check for damage / security			
Brake Discs	Check for damage / security			
Fixing / Fasteners	Check for damage / security			
Torque limits	See back of sheet for required limits			
For AJH brake systems, refer to AJH097 for to				
Where OEM torque test figures are not availal				
Park Brake (Nm) = <u>Machine Weight (Kg)</u>	Minimum Park brake required:			
20				
Service Brake (Nm) = Machine Weight (Kg)	Minimum Service brake required:			
10				
Equipment to be used: The GUE MUCH PURE	ID No: 130046 Cal Exp Date: 8-1-26			
Equipment to be used: 162auc w26xCH	ID No: XK18847 Cal Exp Date: 25・フ・25.			
Park Brake: (350) FRO Service Brake: 1680, THE	NT Park Brake: 350 NW Service Brake:			
Pass / Fail Ras	Pass / Fail Poss			
-				
Park Brake: 13 Sonty	Park Brake: 1350NM			
Service Brake: 16 SUNIA 1 183	Service Brake:			
Pass / Fail Pages REA	Pass / Fail			
As the engineer responsible for executing this testing, I confirm that I have used calibrated equipment and had				
the relevant training. Prevailing weather conditions did not affect the outcome of this test				
Engineer: D. Schoffe Signed: D.				
As an Approver of Shovlin Plant I confrim that this inspection/test was executed by a suitably qualified service engineer.				
Approver: Jacob Shouli Signed: The				
SP-RWBT-01 Issue 1 Date: 06/2022				

.