




KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant -150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant -50mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant 50mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant 150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP

Locked Rail Cant -150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP

Locked Rail Cant 50mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP

Locked Rail Cant 150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift BP

Unlocked Road



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	71.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant -150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant -50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant 50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP

Unlocked Rail Cant 150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP

Locked Rail Cant -150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP

Locked Rail Cant -50mm - Tandem Lift




MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP

Locked Rail Cant 50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift BP

Locked Rail Cant 150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift BP

Unlocked Road - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	47.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Unlocked Rail Cant -150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Unlocked Rail Cant -50mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Unlocked Rail Cant 50mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Unlocked Rail Cant 150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Locked Rail Cant -150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Locked Rail Cant -50mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Locked Rail Cant 50mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Locked Rail Cant 150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift ALP1

Unlocked Road



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	71.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift ALP1

Locked Road



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	71.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Unlocked Rail Cant -150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Unlocked Rail Cant -50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Unlocked Rail Cant 50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Unlocked Rail Cant 150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			




KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper

Gradient 1 in -25 Height 2m Lift ALP1

Locked Rail Cant -150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			




KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper

Gradient 1 in -25 Height 2m Lift ALP1

Locked Rail Cant -50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			




KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper

Gradient 1 in -25 Height 2m Lift ALP1

Locked Rail Cant 50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift ALP1

Locked Rail Cant 150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift ALP1

Unlocked Road - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	47.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift ALP1

Locked Road - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	47.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH

Unlocked Rail Cant -150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH

Unlocked Rail Cant -50mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH

Unlocked Rail Cant 50mm




MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH

Unlocked Rail Cant 150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH

Locked Rail Cant -150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH

Locked Rail Cant -50mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH

Locked Rail Cant 150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift QH

Unlocked Road



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	71.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift QH

Locked Road



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	71.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH

Unlocked Rail Cant -150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH

Unlocked Rail Cant -50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH

Unlocked Rail Cant 50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH

Unlocked Rail Cant 150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH

Locked Rail Cant -150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH

Locked Rail Cant -50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH

Locked Rail Cant 50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Gradient 1 in -25 Height 2m Lift QH

Locked Rail Cant 150mm - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			




KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper

Level Ground Height 2m Lift QH

Unlocked Road - Tandem Lift




MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	47.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper
Level Ground Height 2m Lift QH

Locked Road - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	47.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib
Gradient 1 in -25 Height 2m Lift JIBLP

Unlocked Rail Cant -150mm




MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib
Gradient 1 in -25 Height 2m Lift JIBLP

Unlocked Rail Cant -50mm




MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib
Gradient 1 in -25 Height 2m Lift JIBLP

Unlocked Rail Cant 150mm




MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	67.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib
Gradient 1 in -25 Height 2m Lift JIBLP

Locked Rail Cant -150mm




MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib
Gradient 1 in -25 Height 2m Lift JIBLP

Locked Rail Cant -50mm



Units in Tonnes

1 2 3 4 5


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib
Gradient 1 in -25 Height 2m Lift JIBLP

Locked Rail Cant 50mm




MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib
Gradient 1 in -25 Height 2m Lift JIBLP

Locked Rail Cant 150mm




MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	90.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib
Level Ground Height 2m Lift JIBLP

Unlocked Road



Units in Tonnes

1 2 3 4 5


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	71.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib
Level Ground Height 2m Lift JIBLP

Locked Road



Units in Tonnes

1 2 3 4 5


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	71.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib
Gradient 1 in -25 Height 2m Lift JIBLP

Unlocked Rail Cant -150mm - Tandem Lift



MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			




KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib

Gradient 1 in -25 Height 2m Lift JIBLP

Unlocked Rail Cant -50mm - Tandem Lift



MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			




KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib

Gradient 1 in -25 Height 2m Lift JIBLP

Unlocked Rail Cant 50mm - Tandem Lift



MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			




KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib

Gradient 1 in -25 Height 2m Lift JIBLP

Unlocked Rail Cant 150mm - Tandem Lift



MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	44.0%
COMMENT:			




KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib

Gradient 1 in -25 Height 2m Lift JIBLP

Locked Rail Cant -150mm - Tandem Lift



MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			




KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib

Gradient 1 in -25 Height 2m Lift JIBLP

Locked Rail Cant 50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			




KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib

Gradient 1 in -25 Height 2m Lift JIBLP

Locked Rail Cant 150mm - Tandem Lift




MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	59.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib
Level Ground Height 2m Lift JIBLP

Unlocked Road - Tandem Lift



Units in Tonnes

1 2 3 4 5


MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	47.0%
COMMENT:			



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib
Level Ground Height 2m Lift JIBLP

Locked Road - Tandem Lift



Units in Tonnes

1 2 3 4 5

MACHINE & MODEL:	Terex GigaRailer	REFERENCE:	3.22m Fixed Length Jib
SERIAL No:	180S301309	DATE OF CHART:	5-Mar-2024
EQUIPMENT:	1.92m + 3.30m + 2.00m	SAFETY FACTOR:	47.0%
COMMENT:			