




KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Unlocked Rail Cant -150mm




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 67.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Unlocked Rail Cant -50mm



Units in Tonnes


1 2 3 4 5 6 7 8 9 10

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 67.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Unlocked Rail Cant 50mm




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 67.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Unlocked Rail Cant 150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


|                                                          |                                                         |                                                |                                                |
|----------------------------------------------------------|---------------------------------------------------------|------------------------------------------------|------------------------------------------------|
| MACHINE & MODEL:<br>SERIAL No:<br>EQUIPMENT:<br>COMMENT: | Terex GigaRailer<br>180S301307<br>1.92m + 3.30m + 2.00m | REFERENCE:<br>DATE OF CHART:<br>SAFETY FACTOR: | 3.22m Fixed Length Jib<br>25-Apr-2024<br>67.0% |
|                                                          |                                                         |                                                |                                                |
|                                                          |                                                         |                                                |                                                |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Locked Rail Cant -150mm




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 90.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Locked Rail Cant -50mm



Units in Tonnes


- 1 2 3 4 5 6 7 8 9 10

|                                                          |                                                         |                                                |                                                |
|----------------------------------------------------------|---------------------------------------------------------|------------------------------------------------|------------------------------------------------|
| MACHINE & MODEL:<br>SERIAL No:<br>EQUIPMENT:<br>COMMENT: | Terex GigaRailer<br>180S301307<br>1.92m + 3.30m + 2.00m | REFERENCE:<br>DATE OF CHART:<br>SAFETY FACTOR: | 3.22m Fixed Length Jib<br>25-Apr-2024<br>90.0% |
|                                                          |                                                         |                                                |                                                |
|                                                          |                                                         |                                                |                                                |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Locked Rail Cant 50mm



Units in Tonnes


1 2 3 4 5 6 7 8 9 10

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 90.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Locked Rail Cant 150mm




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 90.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Level Ground Height 2m Lift BP  
Unlocked Road



Units in Tonnes


1 2 3 4 5 6 7 8 9 10

|                                                          |                                                         |                                                |                                                |
|----------------------------------------------------------|---------------------------------------------------------|------------------------------------------------|------------------------------------------------|
| MACHINE & MODEL:<br>SERIAL No:<br>EQUIPMENT:<br>COMMENT: | Terex GigaRailer<br>180S301307<br>1.92m + 3.30m + 2.00m | REFERENCE:<br>DATE OF CHART:<br>SAFETY FACTOR: | 3.22m Fixed Length Jib<br>25-Apr-2024<br>71.0% |
|                                                          |                                                         |                                                |                                                |
|                                                          |                                                         |                                                |                                                |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Level Ground Height 2m Lift BP  
Locked Road



Units in Tonnes


- 1 2 3 4 5 6 7 8 9 10

|                                                          |                                                         |                                                |                                                |
|----------------------------------------------------------|---------------------------------------------------------|------------------------------------------------|------------------------------------------------|
| MACHINE & MODEL:<br>SERIAL No:<br>EQUIPMENT:<br>COMMENT: | Terex GigaRailer<br>180S301307<br>1.92m + 3.30m + 2.00m | REFERENCE:<br>DATE OF CHART:<br>SAFETY FACTOR: | 3.22m Fixed Length Jib<br>25-Apr-2024<br>71.0% |
|                                                          |                                                         |                                                |                                                |
|                                                          |                                                         |                                                |                                                |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Unlocked Rail Cant -150mm - Tandem Lift



Units in Tonnes


1 2 3 4 5 6 7 8 9 10

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Unlocked Rail Cant -50mm - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Unlocked Rail Cant 50mm - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Unlocked Rail Cant 150mm - Tandem Lift



Units in Tonnes


1 2 3 4 5 6 7 8 9 10

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Locked Rail Cant -150mm - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 59.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Locked Rail Cant -50mm - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 59.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Locked Rail Cant 50mm - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 59.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift BP  
Locked Rail Cant 150mm - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 59.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Level Ground Height 2m Lift BP  
Unlocked Road - Tandem Lift



Units in Tonnes


1 2 3 4 5 6 7 8 9 10

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 47.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Level Ground Height 2m Lift BP  
Locked Road - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 47.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift ALP1  
Unlocked Rail Cant -150mm



Units in Tonnes


1 2 3 4 5 6 7 8 9 10 11 12

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 67.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift ALP1  
Unlocked Rail Cant -50mm



Units in Tonnes


1 2 3 4 5 6 7 8 9 10 11 12

|                                                          |                                                         |                                                |                                                |
|----------------------------------------------------------|---------------------------------------------------------|------------------------------------------------|------------------------------------------------|
| MACHINE & MODEL:<br>SERIAL No:<br>EQUIPMENT:<br>COMMENT: | Terex GigaRailer<br>180S301307<br>1.92m + 3.30m + 2.00m | REFERENCE:<br>DATE OF CHART:<br>SAFETY FACTOR: | 3.22m Fixed Length Jib<br>25-Apr-2024<br>67.0% |
|                                                          |                                                         |                                                |                                                |
|                                                          |                                                         |                                                |                                                |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift ALP1  
Unlocked Rail Cant 50mm




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 67.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift ALP1  
Unlocked Rail Cant 150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 67.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift ALP1  
Locked Rail Cant -150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 90.0%                  |
| COMMENT:         |                       |                |                        |




## KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper

Gradient 1 in -25 Height 2m Lift ALP1

Locked Rail Cant -50mm



Units in Tonnes


1 2 3 4 5 6 7 8 9 10 11 12

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 90.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift ALP1  
Locked Rail Cant 50mm



Units in Tonnes


- 1 2 3 4 5 6 7 8 9 10 11 12

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 90.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift ALP1  
Locked Rail Cant 150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


|                                                          |                                                         |                                                |                                                |
|----------------------------------------------------------|---------------------------------------------------------|------------------------------------------------|------------------------------------------------|
| MACHINE & MODEL:<br>SERIAL No:<br>EQUIPMENT:<br>COMMENT: | Terex GigaRailer<br>180S301307<br>1.92m + 3.30m + 2.00m | REFERENCE:<br>DATE OF CHART:<br>SAFETY FACTOR: | 3.22m Fixed Length Jib<br>25-Apr-2024<br>90.0% |
|                                                          |                                                         |                                                |                                                |
|                                                          |                                                         |                                                |                                                |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Level Ground Height 2m Lift ALP1  
Unlocked Road



Units in Tonnes


1 2 3 4 5 6 7 8 9 10 11 12

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 71.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Level Ground Height 2m Lift ALP1  
Locked Road




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 71.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift ALP1  
Unlocked Rail Cant -150mm - Tandem Lift



Units in Tonnes


- 1 2 3 4 5 6 7 8 9 10 11 12

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift ALP1  
Unlocked Rail Cant -50mm - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift ALP1  
Unlocked Rail Cant 50mm - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift ALP1  
Unlocked Rail Cant 150mm - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift ALP1  
Locked Rail Cant -150mm - Tandem Lift



Units in Tonnes


- 1 2 3 4 5 6 7 8 9 10 11 12

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 59.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift ALP1  
Locked Rail Cant -50mm - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 59.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift ALP1  
Locked Rail Cant 50mm - Tandem Lift



Units in Tonnes


- 1 2 3 4 5 6 7 8 9 10 11 12

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 59.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift ALP1  
Locked Rail Cant 150mm - Tandem Lift



Units in Tonnes


- 1 2 3 4 5 6 7 8 9 10 11 12

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 59.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Level Ground Height 2m Lift ALP1  
Unlocked Road - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 47.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Level Ground Height 2m Lift ALP1  
Locked Road - Tandem Lift



Units in Tonnes

1 2 3 4 5 6 7 8 9 10 11 12


|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 47.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Unlocked Rail Cant -150mm



Units in Tonnes


1 2 3 4 5 6 7 8 9 10

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 67.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Unlocked Rail Cant -50mm



Units in Tonnes


1 2 3 4 5 6 7 8 9 10

|                                                          |                                                         |                                                |                                                |
|----------------------------------------------------------|---------------------------------------------------------|------------------------------------------------|------------------------------------------------|
| MACHINE & MODEL:<br>SERIAL No:<br>EQUIPMENT:<br>COMMENT: | Terex GigaRailer<br>180S301307<br>1.92m + 3.30m + 2.00m | REFERENCE:<br>DATE OF CHART:<br>SAFETY FACTOR: | 3.22m Fixed Length Jib<br>25-Apr-2024<br>67.0% |
|                                                          |                                                         |                                                |                                                |
|                                                          |                                                         |                                                |                                                |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Unlocked Rail Cant 50mm



Units in Tonnes


1 2 3 4 5 6 7 8 9 10

|                                                          |                                                         |                                                |                                                |
|----------------------------------------------------------|---------------------------------------------------------|------------------------------------------------|------------------------------------------------|
| MACHINE & MODEL:<br>SERIAL No:<br>EQUIPMENT:<br>COMMENT: | Terex GigaRailer<br>180S301307<br>1.92m + 3.30m + 2.00m | REFERENCE:<br>DATE OF CHART:<br>SAFETY FACTOR: | 3.22m Fixed Length Jib<br>25-Apr-2024<br>67.0% |
|                                                          |                                                         |                                                |                                                |
|                                                          |                                                         |                                                |                                                |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Unlocked Rail Cant 150mm



Units in Tonnes

1 2 3 4 5 6 7 8 9 10


|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 67.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Locked Rail Cant -150mm




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 90.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Locked Rail Cant -50mm




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 90.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Locked Rail Cant 50mm




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 90.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Locked Rail Cant 150mm




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 90.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Level Ground Height 2m Lift QH  
Unlocked Road



Units in Tonnes


1 2 3 4 5 6 7 8 9 10

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 71.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Level Ground Height 2m Lift QH  
Locked Road




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 71.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Unlocked Rail Cant -150mm - Tandem Lift



Units in Tonnes


- 1 2 3 4 5 6 7 8 9 10

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Unlocked Rail Cant -50mm - Tandem Lift



Units in Tonnes

- 1 2 3 4 5 6 7 8 9 10


|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Unlocked Rail Cant 50mm - Tandem Lift



Units in Tonnes


- 1 2 3 4 5 6 7 8 9 10

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Unlocked Rail Cant 150mm - Tandem Lift



Units in Tonnes


1 2 3 4 5 6 7 8 9 10

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Locked Rail Cant -150mm - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 59.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Locked Rail Cant -50mm - Tandem Lift



Units in Tonnes

- 1 2 3 4 5 6 7 8 9 10


|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 59.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Locked Rail Cant 50mm - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 59.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Gradient 1 in -25 Height 2m Lift QH  
Locked Rail Cant 150mm - Tandem Lift



Units in Tonnes


1 2 3 4 5 6 7 8 9 10

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 59.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Level Ground Height 2m Lift QH  
Unlocked Road - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 47.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper  
Level Ground Height 2m Lift QH  
Locked Road - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 47.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Gradient 1 in -25 Height 2m Lift JIBLP  
Unlocked Rail Cant -150mm



Units in Tonnes

1 2 3 4 5

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 67.0%                  |
| COMMENT:         |                       |                |                        |




## KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib

Gradient 1 in -25 Height 2m Lift JIBLP

Unlocked Rail Cant -50mm




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 67.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Gradient 1 in -25 Height 2m Lift JIBLP  
Unlocked Rail Cant 50mm



Units in Tonnes


1 2 3 4 5

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 67.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Gradient 1 in -25 Height 2m Lift JIBLP  
Unlocked Rail Cant 150mm



Units in Tonnes

1 2 3 4 5


|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 67.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Gradient 1 in -25 Height 2m Lift JIBLP  
Locked Rail Cant -150mm



Units in Tonnes


1 2 3 4 5

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 90.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Gradient 1 in -25 Height 2m Lift JIBLP  
Locked Rail Cant -50mm



Units in Tonnes


1 2 3 4 5

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 90.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Gradient 1 in -25 Height 2m Lift JIBLP  
Locked Rail Cant 50mm



Units in Tonnes


1 2 3 4 5

|                                                          |                                                         |                                                |                                                |
|----------------------------------------------------------|---------------------------------------------------------|------------------------------------------------|------------------------------------------------|
| MACHINE & MODEL:<br>SERIAL No:<br>EQUIPMENT:<br>COMMENT: | Terex GigaRailer<br>180S301307<br>1.92m + 3.30m + 2.00m | REFERENCE:<br>DATE OF CHART:<br>SAFETY FACTOR: | 3.22m Fixed Length Jib<br>25-Apr-2024<br>90.0% |
|                                                          |                                                         |                                                |                                                |
|                                                          |                                                         |                                                |                                                |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Gradient 1 in -25 Height 2m Lift JIBLP  
Locked Rail Cant 150mm



Units in Tonnes

1 2 3 4 5


|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 90.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Level Ground Height 2m Lift JIBLP  
Unlocked Road



Units in Tonnes


1 2 3 4 5

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 71.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Level Ground Height 2m Lift JIBLP  
Locked Road



Units in Tonnes

1 2 3 4 5

|                                                          |                       |                |                        |
|----------------------------------------------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL:<br>SERIAL No:<br>EQUIPMENT:<br>COMMENT: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
|                                                          | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
|                                                          | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 71.0%                  |




KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib

Gradient 1 in -25 Height 2m Lift JIBLP

Unlocked Rail Cant -150mm - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Gradient 1 in -25 Height 2m Lift JIBLP  
Unlocked Rail Cant -50mm - Tandem Lift



Units in Tonnes

- 1 2 3 4 5


|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Gradient 1 in -25 Height 2m Lift JIBLP  
Unlocked Rail Cant 50mm - Tandem Lift



Units in Tonnes

1 2 3 4 5

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |




KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib

Gradient 1 in -25 Height 2m Lift JIBLP

Unlocked Rail Cant 150mm - Tandem Lift



Units in Tonnes


1 2 3 4 5

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 44.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Gradient 1 in -25 Height 2m Lift JIBLP  
Locked Rail Cant -150mm - Tandem Lift



Units in Tonnes


1 2 3 4 5

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 59.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Gradient 1 in -25 Height 2m Lift JIBLP  
Locked Rail Cant -50mm - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 59.0%                  |
| COMMENT:         |                       |                |                        |





KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Gradient 1 in -25 Height 2m Lift JIBLP  
Locked Rail Cant 50mm - Tandem Lift




|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 59.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Gradient 1 in -25 Height 2m Lift JIBLP  
Locked Rail Cant 150mm - Tandem Lift



Units in Tonnes


1 2 3 4 5

|                                                          |                                                         |                                                |                                                |
|----------------------------------------------------------|---------------------------------------------------------|------------------------------------------------|------------------------------------------------|
| MACHINE & MODEL:<br>SERIAL No:<br>EQUIPMENT:<br>COMMENT: | Terex GigaRailer<br>180S301307<br>1.92m + 3.30m + 2.00m | REFERENCE:<br>DATE OF CHART:<br>SAFETY FACTOR: | 3.22m Fixed Length Jib<br>25-Apr-2024<br>59.0% |
|                                                          |                                                         |                                                |                                                |
|                                                          |                                                         |                                                |                                                |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Level Ground Height 2m Lift JIBLP  
Unlocked Road - Tandem Lift



Units in Tonnes


1 2 3 4 5

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 47.0%                  |
| COMMENT:         |                       |                |                        |



KING TRANSPORT EQUIPMENT LTD

Max Capacity Contours of Radius(m) Plots 2.0m Dipper 3.2m Jib  
Level Ground Height 2m Lift JIBLP  
Locked Road - Tandem Lift



Units in Tonnes

1 2 3 4 5

|                  |                       |                |                        |
|------------------|-----------------------|----------------|------------------------|
| MACHINE & MODEL: | Terex GigaRailer      | REFERENCE:     | 3.22m Fixed Length Jib |
| SERIAL No:       | 180S301307            | DATE OF CHART: | 25-Apr-2024            |
| EQUIPMENT:       | 1.92m + 3.30m + 2.00m | SAFETY FACTOR: | 47.0%                  |
| COMMENT:         |                       |                |                        |